



EREC India Research Laboratory

(ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide C. No.- TC-5821)

TEST REPORT

Form No.: EREC/FM/53

Name of the Client	M/s Nargis Ahmed	Sample ID. No.	C-22/119
Address of client	Vill :- Lakhimari, P.O – Golekganj, Dist: Dhubri, Assam (India), PIN - 783334		
L.C. No.	091722012837	Dated: 24/07/2022	
Size	Loose Coal		
Sample Received Date	27/07/2022	Test Completed On	28/07/2022


Particulars of the Sample		
1	Id of Sample	Coal
2	Specification of Sample	Black Solid
3	Quantity of Sample	1000gm
4	Condition of the Sample/Packet	Good

ANALYSIS REPORT:

Sl. No.	Test Parameters	Unit	Result
1.	Calorific value	K Cal/kg	6648.22
2.	Total Ash	%	9.50
3.	Fixed Carbon	%	46.38
4.	Volatile Matter	%	38.27
5.	Total Moisture	%	12.53
6.	Sulphur	%	1.4
7.	Caking Index	%	17

*** END OF THE REPORT ***

Authorized Signatory



Dr. M. Pathak

CEO cum Technical Manager

N.B: 1. Result corresponds to sample submitted only 2). This report is prepared based upon the test results only.

Page 1 of 1